

Fujifilm Finepix 4700 Zoom



The FinePix 4700 Zoom is the world's first digital camera to be powered by the next generation chip developed by Fujifilm - Super CCD. It produces truly breathtaking and lifelike images using a 2.47 million pixel Super CCD which delivers a huge output file of 4.3 million pixels. With ultra-high resolution still image quality, digital camcorder movie capability with sound of up to 80 seconds, a 3 x zoom lens, high-speed operation, a 2 inch LCD screen and USB connection - the FinePix 4700 Zoom is more than simply a digital camera. The monochrome data LCD is illuminated whenever a button is pushed and its color changes depending on the operational mode.

www.dooyoo.co.uk :: Photography :: Digital Camera :: Fujifilm Finepix 4700 Zoom

General	
Product Type	Digital camera
Width	78 mm
Depth	33 mm
Height	98 mm
Weight	0.3 kg
Enclosure Colour	Metallic silver
Body Material	Metal
Localisation	English

Main Features

Resolution	2.2 Megapixel / 4.3 Megapixel (interpolated)
Colour Support	Colour
Optical Sensor Type	CCD
Total Pixels	2,400,000 pixels
Optical Sensor Size	1/1.7"
Light Sensitivity	ISO 800, ISO 400, ISO 200
Digital Zoom	3.7 x
Shooting Modes	Digital photo mode, frame movie mode
Max Shutter Speed	1/2000 sec
Min Shutter Speed	3 sec
Exposure Metering	Centre-weighted, spot
Exposure Modes	A-TTL programme flash, manual, aperture-priority, shutter-priority
White Balance	Automatic
Digital Video Format	AVI
Still Image Format	JPEG
Media Included Qty	1

Memory / Storage

Flash Memory	1 x 16 MB Flash - SmartMedia card
Supported Flash Memory	SmartMedia
Image Storage	Fine 2400 x 1800 : 4 Å Normal 1600 x 1200 : 18 Å Basic 640 x 480 : 45

Camera Flash

Camera Flash	Built-in flash
Flash Modes	Fill-in mode, auto mode, flash OFF mode, red-eye reduction

Lens System

Type	Zoom lens - 5.9 mm - 17.6 mm - f/4.5-10.8
Focal Length	5.9 mm - 17.6 mm
Focal Length Equivalent to 35mm Camera	38 - 114mm
Focus Adjustment	Automatic, manual
Auto Focus	TTL contrast detection
Min Focus Range	30 cm
Macro Focus Range	30-80cm
Lens Aperture	F/4.5-10.8
Optical Zoom	3 x
Zoom Adjustment	Automatic
Features	Aspherical lens

Viewfinder

Viewfinder Type	Real-image zoom
-----------------	-----------------

Display

Type	LCD display - TFT active matrix - 2" - colour
Display Form Factor	Built-in
Display Format	113,000 pixels

Microphone

Type	Microphone - built-in
------	-----------------------

Connections

Connector Type	1 x USB (4 PIN USB Type B) ^ 1 x composite video/audio output (mini-phone 3.5mm)
Expansion Slot(s)	1 x SmartMedia Card

Software

Software	Drivers & Utilities, Adobe PhotoDeluxe
----------	--

Miscellaneous

Included Accessories	Hand strap
Cables Included	1 x A/V cable ^ 1 x USB cable



Battery	
Supported Battery	AA
Supported Battery Details	2 x AA & 4 x AA (included)